

DCE-C 10/12 Trend

COMPACT INSTANTANEOUS WATER HEATER

PRODUCT-NO.: 238149

Find the perfect mixThe pleasure of water without the worries With this model, we have placed the emphasis on providing you with DHW convenience. This electronically controlled appliance is preset to a constant 55 °C. This makes it ideal for everyday use. You simply mix in cold water directly at the tap to achieve the preferred temperature that's right for you.



The main features

Compact instantaneous water heater with electronic open-loop control

Good energy efficiency thanks to 2i technology

Outlet temperature fixed at 55 °C

Individual temperature adjustment through mixing with cold water

Exceptionally slimline, compact design



DCE-C 6/8 Trend

Product-No.: 238148



Type	DCE-C 6/8 Trend	DCE-C 10/12 Trend
Part no.	238148	238149

Technical data

Resistivity $\rho_{15} \geq$ (at $\vartheta_{cold} \leq 55 \text{ }^\circ\text{C}$)	1,100 $\mu\text{S/cm}$	1,100 $\mu\text{S/cm}$
Rated voltage	220 V	220 V
Rated voltage 1	220 V	220 V
Rated voltage 2	230 V	230 V
Rated voltage 3	240 V	240 V
Rated output	6.0/8.0 kW	10.0/12.0 kW
Rated output 1	6.0/8.0 kW	10.0/12.0 kW
Rated output 2	6.6/8.7 kW	11.0/13.1 kW
Rated output 3		12.0/14.3 kW
Rated current	27.3/36.4 A	45.5/54.5 A
Rated current 1	27.3/36.4 A	45.5/54.5 A
Rated current 2	28.5/38.0 A	47.8/57.0 A
Rated current 3		50.0/59.5 A
Fuse protection	30/40 A	50/60 A
Fuse protection 1	30/40 A	50/60 A
Fuse protection 2	30/40 A	50/60 A
Fuse protection 3	30/40 A	50/60 A
Frequency	50/60 Hz	50/60 Hz
Frequency 1	50/60 Hz	50/60 Hz
Frequency 2	50/60 Hz	50/60 Hz
Frequency 3	50/60 Hz	50/60 Hz

Phases	1/N/PE	1/N/PE
Resistivity $\rho_{15} \geq$	1100 Ω cm	1100 Ω cm
Conductivity $\sigma_{15} \leq$	910 μ S/cm	910 μ S/cm
IP rating	IP 25	IP 25
Temperature setting	55 °C	55 °C
Colour	white	white
ON	1.3 l/min	1,3 l/min
Height	372 mm	372 mm
Width	217 mm	217 mm
Depth	97 mm	97 mm
Weight	2.50 kg	2.50 kg
Energy efficiency class	A	A

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.